

Rancho Naturalista Checklist and nearby sites in the Tuis-Turrialba region of the Talamanca mountains, 1900-4500 ft.

LOCATION CODE

- [R] Rancho Naturalista: 2300-3500 ft.
- [T] Tuis River Valley: 3000-4500 ft.
- [C] C.A.T.I.E./Turrialba: 1900-2300 ft.

ABUNDANCE CODE

- 1 = Should be seen daily, generally a hard species to miss.
- 2 = Should be seen on most days of a visit to that particular habitat.
- 3 = Somewhat less common, but should still be seen. Requires some effort.
- 4 = Species is uncommon or of erratic occurrence. Generally tricky to find.
- 5 = Species is rare, seen annually, but few records per year. You'll need some luck!
- 6 = One or two records only, not to be expected. Confirmation needed.
- * = No recent records.
- h = Heard considerably more often than seen.
- n = Migrants from North America, mainly present Sept through May.
- s = Migrants from South America, mainly present March through Sept.
- t = Transient migrants, mainly present from March through May and Sept through Nov.
- d = Present mainly in dry season, Dec through March.
- r = Present mainly in rainy season, April through Sept.



Costa Rica Gateway

"The birding specialists"

Toll free: 1-888-246-8513

www.costaricagateway.com

e-mail:
crgateway@racsaco.cr

Costa Rica Gateway
 Sbo-840 P.O. Box 025292
 Miami, FL 33102-5292

Fax: 011-506-433-4925
 CR phone #: 433-8278

| CODE | SPECIES | PLATE | NO. | CODE | SPECIES | PLATE | NO. |
|----------|----------------------------|-------|-----|----------|----------------------------|-------|-----|
| [] R 3h | GREAT TINAMOU | 12 | 6 | [] R 4 | SHORT-TAILED HAWK | 16 | 11 |
| [] R 3h | LITTLE TINAMOU | 12 | 17 | [] R 5t | SWAINSON'S HAWK | 17 | 7 |
| [] C 5 | LEAST GREBE | 7 | 4 | [] R 5 | ZONE-TAILED HAWK | 13 | 1 |
| [] R 5 | NEOTROPIC CORMORANT | 4 | 4 | [] R 5n | RED-TAILED HAWK | 17 | 8 |
| [] C 6 | ANHINGA | 4 | 3 | [] R 5 | BLACK HAWK-EAGLE | 13 | 9 |
| [] R 6 | MAGNIFICENT FRIGATEBIRD | 1 | 6 | [] R 6 | ORNATE HAWK-EAGLE | 17 | 11 |
| [] C 6 | GREEN IBIS | 4 | 10 | [] R 5 | LAUGHING FALCON | 15 | 8 |
| [] C 5n | GREAT BLUE HERON | 5 | 6 | [] R 4h | BARRED FOREST-FALCON | 16 | 5 |
| [] C 4 | GREAT EGRET | 5 | 14 | [] R 6n | AMERICAN KESTREL | 15 | 13 |
| [] C 3 | LITTLE BLUE HERON | 5 | 9 | [] R 6n | MERLIN | 15 | 15 |
| [] C 3 | SNOWY EGRET | 5 | 10 | [] R 6 | BAT FALCON | 15 | 14 |
| [] R 1d | CATTLE EGRET | 5 | 13 | [] R 6n | PEREGRINE FALCON | 15 | 5 |
| [] C 1 | GREEN HERON | 6 | 2 | [] R 1 | GRAY-HEADED CHACHALACA | 12 | 1 |
| [] C 2 | BLACK-CROWNED NIGHT-HERON | 5 | 4 | [] R 4 | CRESTED GUAN | 12 | 4 |
| [] C 5 | YELLOW-CROWNED NIGHT-HERON | 5 | 3 | [] R 6 | BLACK GUAN | 12 | 5 |
| [] C 1 | BOAT-BILLED HERON | 5 | 2 | [] T 5h | BLACK-BREASTED WOOD-QUAIL | 12 | 10 |
| [] T 4 | FASCIATED TIGER-HERON | 5 | 15 | [] R 2 | WHITE-THROATED CRAKE | 6 | 9 |
| [] C 5n | BLUE-WINGED TEAL | 8 | 5 | [] C 1 | PURPLE GALLINULE | 6 | 15 |
| [] C 6n | LESSER SCAUP | 7 | 6 | [] C 5 | COMMON MOORHEN | 7 | 2 |
| [] C 6 | MASKED DUCK | 7 | 8 | [] C 5n | AMERICAN COOT | 7 | 1 |
| [] R 1 | TURKEY VULTURE | 13 | 3 | [] T 4 | SUNBITTERN | 6 | 16 |
| [] R 1 | BLACK VULTURE | 13 | 4 | [] C 1 | NORTHERN JACANA | 6 | 18 |
| [] R 5 | KING VULTURE | 13 | 5 | [] C 6 | WILSON'S SNIPE | 9 | 5 |
| [] R 5n | OSPREY | 17 | 14 | [] T 5n | SOLITARY SANDPIPER | 11 | 4 |
| [] R 5 | GRAY-HEADED KITE | 17 | 3 | [] T 3n | SPOTTED SANDPIPER | 11 | 8 |
| [] R 4 | HOOK-BILLED KITE | 14 | 9 | [] C 6n | LEAST TERN | 2 | 4 |
| [] R 3r | SWALLOW-TAILED KITE | 15 | 2 | [] C 1 | ROCK PIGEON | - | - |
| [] C 6 | WHITE-TAILED KITE | 15 | 1 | [] R 5d | BAND-TAILED PIGEON | 18 | 1 |
| [] R 4 | DOUBLE-TOOTHED KITE | 16 | 1 | [] R 1 | RED-BILLED PIGEON | 18 | 2 |
| [] R 6n | MISSISSIPPI KITE | 15 | 3 | [] R 3h | SHORT-BILLED PIGEON | 18 | 5 |
| [] R 6 | TINY HAWK | 16 | 2 | [] T 3d | RUDDY PIGEON | - | - |
| [] R 3n | SHARP-SHINNED HAWK | 16 | 3 | [] R 3 | RUDDY GROUND-DOVE | 18 | 7 |
| [] R 5n | COOPER'S HAWK | 16 | 4 | [] R 6 | BLUE GROUND-DOVE | 18 | 6 |
| [] R 5 | BICOLORED HAWK | 16 | 8 | [] R 1 | WHITE-TIPPED DOVE | 18 | 14 |
| [] T 3 | BARRED HAWK | 17 | 1 | [] R 3 | GRAY-CHESTED DOVE | 18 | 16 |
| [] R 6 | WHITE HAWK | 17 | 2 | [] R 4 | PURPLISH-BACKED QUAIL-DOVE | 18 | 21 |
| [] T 4 | GREAT BLACK-HAWK | 13 | 7 | [] R 6r | CHIRIQUI QUAIL-DOVE | 18 | 18 |
| [] T 6 | SOLITARY EAGLE | 13 | 8 | [] R 5 | RUDDY QUAIL-DOVE | 18 | 17 |
| [] C 4 | ROADSIDE HAWK | 16 | 12 | [] R 2 | CRIMSON-FRONTED PARAKEET | 19 | 10 |
| [] R 2n | BROAD-WINGED HAWK | 16 | 13 | [] R 3 | SULPHUR-WINGED PARAKEET | 19 | 12 |

| CODE | SPECIES | PLATE | NO. | CODE | SPECIES | PLATE | NO. |
|----------|---------------------------------|-------|-----|----------|----------------------------------|-------|-----|
| [] R 5r | BARRED PARAKEET | 19 | 16 | [] C 3 | GREEN KINGFISHER | 27 | 5 |
| [] R 6 | RED-FRONTED PARROTLET | 19 | 15 | [] R 2 | BLUE-CROWNED MOTMOT | 27 | 8 |
| [] R 3 | BROWN-HOODED PARROT | 19 | 9 | [] R 2 | RUFIOUS MOTMOT | 27 | 7 |
| [] R 1 | WHITE-CROWNED PARROT | 19 | 7 | [] R 3 | BROAD-BILLED MOTMOT | 27 | 9 |
| [] R 5t | BLACK-BILLED CUCKOO | 21 | 1 | [] R 2 | RUFIOUS-TAILED JACAMAR | 26 | 12 |
| [] R 5t | YELLOW-BILLED CUCKOO | 21 | 2 | [] T 5 | LANCEOLATED MONKLET | 28 | 5 |
| [] R 2 | SQUIRREL CUCKOO | 21 | 7 | [] R 6* | WHITE-FRONTED NUNBIRD | 28 | 4 |
| [] R 1 | GROOVE-BILLED ANI | 21 | 9 | [] T 2 | RED-HEADED BARBET | 28 | 2 |
| [] R 4r | STRIPED CUCKOO | 21 | 5 | [] T 5 | PRONG-BILLED BARBET | 28 | 1 |
| [] R 6 | BARN OWL | 20 | 9 | [] T 5 | BLUE_THROATED (EMERALD) TOUCANET | 27 | 17 |
| [] R 2h | MOTTLED OWL | 20 | 6 | [] R 1 | COLLARED ARACARI | 27 | 15 |
| [] R 4h | CRESTED OWL | 20 | 3 | [] R 6d | YELLOW-EARED TOUCANET | 27 | 20 |
| [] R 6 | SPECTACLED OWL | 20 | 8 | [] R 1 | KEEL-BILLED TOUCAN | 27 | 18 |
| [] C 5 | FERRUGINOUS PYGMY-OWL | 20 | 17 | [] T 4 | ACORN WOODPECKER | 28 | 15 |
| [] T 6 | STRIPED OWL | 20 | 2 | [] R 1 | BLACK-CHEEKED WOODPECKER | 28 | 14 |
| [] R 5d | COMMON POTOO | 20 | 4 | [] R 1 | HOFFMANN'S WOODPECKER | 28 | 16 |
| [] R 4 | SHORT-TAILED NIGHTHAWK | 21 | 14 | [] R 5n | YELLOW-BELLIED SAPSUCKER | 28 | 20 |
| [] R 6t | COMMON NIGHTHAWK | 21 | 13 | [] R 3 | SMOKY-BROWN WOODPECKER | 28 | 13 |
| [] C 2 | LESSER NIGHTHAWK | 21 | 12 | [] R 3 | RUFIOUS-WINGED WOODPECKER | 28 | 10 |
| [] R 2h | PAURAQUE | 21 | 18 | [] R 2 | GOLDEN-OLIVE WOODPECKER | 28 | 11 |
| [] R 5t | CHUCK-WILL'S-WIDOW | 21 | 16 | [] R 3 | LINEATED WOODPECKER | 27 | 13 |
| [] R 6 | BLACK SWIFT | 22 | 2 | [] R 5 | PALE-BILLED WOODPECKER | 27 | 14 |
| [] R 3 | CHESTNUT-COLLARED SWIFT | 22 | 3 | [] R 2 | SLATY SPINETAIL | 32 | 9 |
| [] R 2 | WHITE-COLLARED SWIFT | 22 | 1 | [] T 4 | RED-FACED SPINETAIL | 30 | 12 |
| [] R 3 | VAUX'S SWIFT | 22 | 9 | [] T 3 | SPOTTED BARBTAIL | 29 | 5 |
| [] C 6 | GREATER SWALLOW-TAILED SWIFT | 22 | 6 | [] R 2 | PLAIN XENOPS | 29 | 3 |
| [] R 4 | LESSER SWALLOW-TAILED SWIFT | 22 | 7 | [] T 5 | STREAKED XENOPS | 29 | 2 |
| [] R 5 | WHITE-TIPPED SICKLEBILL | 23 | 8 | [] T 6 | SCALY-THROATED FOLIAGE-GLEANER | 30 | 2 |
| [] R 5 | BAND-TAILED BARBTHROAT | 23 | 5 | [] R 6* | BUFF-FRONTED FOLIAGE-GLEANER | 30 | 6 |
| [] R 1 | GREEN HERMIT | 23 | 3 | [] R 3 | BUFF-THROATED FOLIAGE-GLEANER | 30 | 3 |
| [] R 6 | WESTERN LONG-TAILED HERMIT | 23 | 2 | [] R 4 | TAWNY-THROATED LEAFTOSSER | 30 | 11 |
| [] R 1 | STRIPE_THROATED (LITTLE) HERMIT | 23 | 1 | [] R 6* | GRAY-THROATED LEAFTOSSER | 30 | 10 |
| [] T 3 | GREEN-FRONTED LANCEBILL | 23 | 11 | [] R 3 | PLAIN-BROWN WOODCREEPER | 29 | 11 |
| [] R 4 | VIOLET SABREWING | 23 | 9 | [] T 6 | RUDDY WOODCREEPER | 29 | 13 |
| [] R 1 | WHITE-NECKED JACOBIN | 23 | 17 | [] R 2 | OLIVACEOUS WOODCREEPER | 29 | 7 |
| [] R 4r | BROWN VIOLET-EAR | 23 | 6 | [] R 2 | WEDGE-BILLED WOODCREEPER | 29 | 6 |
| [] R 6r | GREEN VIOLET-EAR | 23 | 7 | [] T 5 | STRONG-BILLED WOODCREEPER | 29 | 18 |
| [] R 1 | GREEN-BREASTED MANGO | 23 | 13 | [] R 3 | NORTHERN BARRED-WOODCREEPER | 29 | 19 |
| [] R 3 | VIOLET-HEADED HUMMINGBIRD | 25 | 11 | [] R 5 | COCOA WOODCREEPER | 29 | 17 |
| [] R 3 | BLACK-CRESTED COQUETTE | 25 | 6 | [] R 1 | SPOTTED WOODCREEPER | 29 | 20 |
| [] R 6r | WHITE-CRESTED COQUETTE | 25 | 5 | [] R 1 | STREAK-HEADED WOODCREEPER | 29 | 8 |
| [] R 1 | GREEN THORNTAIL | 25 | 1 | [] R 4 | BROWN-BILLED SCYTHEBILL | 29 | 14 |
| [] R 5 | GARDEN EMERALD | 24 | 13 | [] R 5 | FASCIATED ANTSHRIKE | 31 | 1 |
| [] R 6r | FIERY-THROATED HUMMINGBIRD | 24 | 12 | [] R 6* | GREAT ANTSHRIKE | 31 | 2 |
| [] R 6 | COPPERY-HEADED EMERALD | 24 | 20 | [] R 4 | BARRED ANTSHRIKE | 31 | 3 |
| [] T 5 | STRIPE-TAILED HUMMINGBIRD | 24 | 17 | [] C 4 | WESTERN SLATY-ANTSHRIKE | 31 | 5 |
| [] T 3 | BLACK-BELLIED HUMMINGBIRD | 24 | 21 | [] R 2 | RUSSET ANTSHRIKE | 31 | 4 |
| [] R 1 | VIOLET-CROWNED WOODNYMPH | 24 | 4 | [] R 2 | PLAIN ANTIVIREO | 32 | 6 |
| [] R 6r | BLUE-THROATED GOLDENTAIL | 24 | 9 | [] R 6* | STREAK-CROWNED ANTIVIREO | 32 | 7 |
| [] R 1 | RUFIOUS-TAILED HUMMINGBIRD | 24 | 10 | [] R 3 | CHECKER-THROATED ANTWREN | 32 | 5 |
| [] R 6r | STEELY-VENTED HUMMINGBIRD | 24 | 15 | [] R 2 | SLATY ANTWREN | 32 | 3 |
| [] R 1 | SNOWCAP | 25 | 8 | [] R 4 | DOT-WINGED ANTWREN | 32 | 1 |
| [] R 4 | RED-FOOTED PLUMELETEER | 23 | 12 | [] R 6 | RUFIOUS-RUMPED ANTWREN | 32 | 10 |
| [] T 3 | WHITE-BELLIED MOUNTAIN-GEM | 24 | 5 | [] R 3 | DUSKY ANTIBIRD | 31 | 8 |
| [] R 6 | PURPLE-THROATED MOUNTAIN-GEM | 24 | 7 | [] R 6 | CHESTNUT-BACKED ANTIBIRD | 31 | 11 |
| [] R 1 | GREEN-CROWNED BRILLIANT | 23 | 15 | [] R 3 | DULL-MANTLED ANTIBIRD | 31 | 14 |
| [] R 2 | PURPLE-CROWNED FAIRY | 23 | 14 | [] R 3 | IMMACULATE ANTIBIRD | 31 | 10 |
| [] R 5 | LONG-BILLED STARTHROAT | 23 | 18 | [] T 5 | BICOLORED ANTIBIRD | 31 | 9 |
| [] R 4n | RUBY-THROATED HUMMINGBIRD | 25 | 9 | [] R 4 | SPOTTED ANTIBIRD | 31 | 12 |
| [] R 2 | VIOLACEOUS TROGON | 26 | 8 | [] R 6 | BLACK-FACED ANTTHRUSH | 30 | 15 |
| [] R 2 | COLLARED TROGON | 26 | 5 | [] T 6h | BLACK-HEADED ANTTHRUSH | 30 | 17 |
| [] R 3 | BLACK-THROATED TROGON | 26 | 9 | [] R 5 | SCALED ANTPITTA | 30 | 20 |
| [] C 4n | BELTED KINGFISHER | 27 | 2 | [] R 4h | THICKET ANTPITTA | 30 | 14 |
| [] T 4 | RINGED KINGFISHER | 27 | 1 | [] R 6 | OCHRE-BREASTED ANTPITTA | 30 | 13 |
| [] T 4 | AMAZON KINGFISHER | 27 | 4 | [] T 5h | SILVERY-FRONTED TAPACULO | 32 | 12 |

| CODE | SPECIES | PLATE | NO. | CODE | SPECIES | PLATE | NO. |
|----------|------------------------------|-------|-----|----------|----------------------------------|-------|-----|
| [] R 6* | RUFIOUS PIHA | 34 | 10 | [] R 3 | BLUE-AND-WHITE SWALLOW | 22 | 20 |
| [] R 6 | LOVELY COTINGA | 34 | 6 | [] R 2n | NORTHERN ROUGH-WINGED SWALLOW | 22 | 18 |
| [] R 1 | WHITE-COLLARED MANAKIN | 33 | 1 | [] R 2 | SOUTHERN ROUGH-WINGED SWALLOW | 22 | 19 |
| [] R 2 | WHITE-RUFFED MANAKIN | 33 | 9 | [] R 6t | BANK SWALLOW | 22 | 17 |
| [] R 3 | WHITE-CROWNED MANAKIN | 33 | 8 | [] R 5t | CLIFF SWALLOW | 22 | 13 |
| [] R 5 | GRAY-HEADED PIPRITES | 33 | 3 | [] R 4n | BARN SWALLOW | 22 | 12 |
| [] R 6 | GREENISH ELAENIA | 37 | 21 | [] R 6n | CEDAR WAXWING | 39 | 14 |
| [] R 1 | YELLOW-BELLIED ELAENIA | 37 | 26 | [] T 3 | AMERICAN DIPPER | 39 | 11 |
| [] R 6 | LESSER ELAENIA | 37 | 25 | [] R 4 | BAND-BACKED WREN | 38 | 3 |
| [] R 4d | MOUNTAIN ELAENIA | 37 | 24 | [] R 3h | BLACK-THROATED WREN | 38 | 13 |
| [] T 2 | TORRENT TYRANNULET | 36 | 1 | [] R 4 | BAY WREN | 38 | 12 |
| [] R 2 | OCHRE-BELLIED FLYCATCHER | 36 | 25 | [] R 2 | STRIPE-BREASTED WREN | 38 | 5 |
| [] R 2 | OLIVE-STRIPED FLYCATCHER | 36 | 24 | [] R 2h | PLAIN WREN | 38 | 17 |
| [] R 6 | SEPIA-CAPPED FLYCATCHER | 36 | 27 | [] R 1 | HOUSE WREN | 38 | 18 |
| [] R 3 | SLATY-CAPPED FLYCATCHER | 36 | 26 | [] T 3 | OCHRACEOUS WREN | 38 | 19 |
| [] T 4 | RUFIOUS-BROWED TYRANNULET | 37 | 12 | [] R 1h | WHITE-BREASTED WOOD-WREN | 38 | 15 |
| [] T 5 | WHITE-FRONTED TYRANNULET | 37 | 18 | [] T 3h | GRAY-BREASTED WOOD-WREN | 38 | 14 |
| [] R 1 | PALTRY TYRANNULET | 37 | 10 | [] R 5h | SOUTHERN NIGHTINGALE-WREN | 38 | 20 |
| [] R 2 | SCALE-CRESTED PYGMY-TYRANT | 37 | 4 | [] R 6* | SONG WREN | 38 | 22 |
| [] R 2h | BLACK-HEADED TODY-FLYCATCHER | 37 | 8 | [] R 4n | GRAY CATBIRD | 39 | 12 |
| [] R 1 | COMMON TODY-FLYCATCHER | 37 | 7 | [] R 5d | BLACK-FACED SOLITAIRE | 39 | 13 |
| [] R 4 | EYE-RINGED FLATBILL | 37 | 23 | [] R 5r | ORANGE-BILLED NIGHTINGALE-THRUSH | 38 | 26 |
| [] R 1 | YELLOW-OLIVE FLYCATCHER | 37 | 16 | [] T 4h | SLATY-BACKED NIGHTINGALE-THRUSH | 38 | 23 |
| [] T 5 | YELLOW-MARGINED FLYCATCHER | 37 | 17 | [] R 3h | BLACK-HEADED NIGHTINGALE-THRUSH | 38 | 25 |
| [] R 4 | WHITE-THROATED SPADEBILL | 37 | 1 | [] R 6t | VEERY | 39 | 3 |
| [] R 4 | RUDDY-TAILED FLYCATCHER | 36 | 23 | [] R 5t | GRAY-CHEEKED THRUSH | 39 | 1 |
| [] R 3 | SULPHUR-RUMPED FLYCATCHER | 36 | 21 | [] R 2n | SWAINSON'S THRUSH | 39 | 2 |
| [] R 2 | TAWNY-CHESTED FLYCATCHER | 36 | 10 | [] R 3n | WOOD THRUSH | 39 | 4 |
| [] T 3 | TUFTED FLYCATCHER | 36 | 11 | [] R 6d | MOUNTAIN THRUSH | 39 | 6 |
| [] R 4n | OLIVE-SIDED FLYCATCHER | 36 | 4 | [] R 5d | PALE-VENTED THRUSH | 39 | 5 |
| [] T 5 | DARK PEWEE | 36 | 2 | [] R 1 | CLAY-COLORED THRUSH | 39 | 8 |
| [] R 3n | EASTERN WOOD-PEWEE | 36 | 8 | [] T 6 | WHITE-THROATED THRUSH | 39 | 9 |
| [] R 1 | TROPICAL PEWEE | 36 | 9 | [] R 6* | TAWNY-FACED GNATWREN | 32 | 14 |
| [] R 1n | YELLOW-BELLIED FLYCATCHER | 36 | 20 | [] R 2 | LONG-BILLED GNATWREN | 32 | 15 |
| [] R 4t | ACADIAN FLYCATCHER | 36 | 12 | [] R 2 | TROPICAL GNATCATCHER | 41 | 2 |
| [] R 4t | ALDER FLYCATCHER | 36 | 14 | [] R 1 | BROWN JAY | 39 | 19 |
| [] R 4t | WILLOW FLYCATCHER | 36 | 14 | [] T 6 | AZURE-HOODED JAY | 39 | 17 |
| [] R 5 | WHITE-THROATED FLYCATCHER | 36 | 13 | [] R 6 | WHITE-EYED VIREO | 40 | 12 |
| [] R 5n | LEAST FLYCATCHER | 36 | 15 | [] R 1n | YELLOW-THROATED VIREO | 40 | 6 |
| [] T 3 | BLACK PHOEBE | 36 | 5 | [] R 3n | PHILADELPHIA VIREO | 40 | 15 |
| [] R 6 | LONG-TAILED TYRANT | 36 | 6 | [] R 2t | RED-EYED VIREO | 40 | 3 |
| [] R 4d | BRIGHT-RUMPED ATTILA | 35 | 6 | [] R 3s | YELLOW-GREEN VIREO | 40 | 5 |
| [] R 3 | RUFIOUS MOURNER | 34 | 9 | [] R 3h | TAWNY-CROWNED GREENLET | 32 | 4 |
| [] R 1 | DUSKY-CAPPED FLYCATCHER | 35 | 21 | [] R 2 | LESSER GREENLET | 40 | 7 |
| [] R 5n | GREAT CRESTED FLYCATCHER | 35 | 17 | [] R 5h | GREEN SHRIKE-VIREO | 40 | 1 |
| [] R 1 | GREAT KISKADEE | 35 | 13 | [] T 6 | RUFIOUS-BROWED PEPPERSHRIKE | 40 | 2 |
| [] R 2 | BOAT-BILLED FLYCATCHER | 35 | 12 | [] R 4n | BLUE-WINGED WARBLER | 41 | 6 |
| [] R 1 | SOCIAL FLYCATCHER | 35 | 14 | [] R 2n | GOLDEN-WINGED WARBLER | 41 | 5 |
| [] R 2 | GRAY-CAPPED FLYCATCHER | 35 | 15 | [] R 6n | "BREWSTER'S" WARBLER | - | - |
| [] T 3 | GOLDEN-BELLIED FLYCATCHER | 35 | 9 | [] R 1n | TENNESSEE WARBLER | 40 | 22 |
| [] R 2s | SULPHUR-BELLIED FLYCATCHER | 35 | 10 | [] R 6n | NASHVILLE WARBLER | 52 | 3 |
| [] R 2s | PIRATIC FLYCATCHER | 35 | 8 | [] R 2 | TROPICAL PARULA | 41 | 3 |
| [] R 1 | TROPICAL KINGBIRD | 35 | 1 | [] R 5n | YELLOW WARBLER | 42 | 2 |
| [] R 4t | EASTERN KINGBIRD | 35 | 3 | [] R 1n | CHESTNUT-SIDED WARBLER | 43 | 4 |
| [] R 4h | THRUSHLIKE SCHIFFORNIS | 33 | 10 | [] R 6n | MAGNOLIA WARBLER | 43 | 10 |
| [] T 6 | BARRED BECARD | 33 | 14 | [] R 5n | YELLOW-RUMPED WARBLER | 43 | 11 |
| [] R 1 | CINNAMON BECARD | 33 | 11 | [] R 4n | BLACK-THROATED GREEN WARBLER | 43 | 9 |
| [] R 4 | WHITE-WINGED BECARD | 33 | 13 | [] R 2n | BLACKBURNIAN WARBLER | 41 | 8 |
| [] R 5d | BLACK-AND-WHITE BECARD | 33 | 15 | [] R 3t | BAY-BREASTED WARBLER | 41 | 9 |
| [] R 6 | ROSE-THROATED BECARD | 33 | 12 | [] R 4t | CERULEAN WARBLER | 43 | 2 |
| [] R 1 | MASKED TITYRA | 34 | 1 | [] R 2n | BLACK-AND-WHITE WARBLER | 41 | 13 |
| [] R 2 | BLACK-CROWNED TITYRA | 34 | 2 | [] R 2n | AMERICAN REDSTART | 41 | 10 |
| [] T 5 | SHARPBILL | 34 | 7 | [] C 2n | PROTHONOTARY WARBLER | 42 | 1 |
| [] C 2 | GRAY-BREASTED MARTIN | 22 | 15 | [] R 3n | WORM-EATING WARBLER | 40 | 21 |
| [] C 2 | MANGROVE SWALLOW | 22 | 23 | [] R 4n | OVENBIRD | 43 | 12 |

| CODE | SPECIES | PLATE | NO. | CODE | SPECIES | PLATE | NO. |
|------|---------------------------------|-------|-----|---|--------------------------------------|-------|-----|
| [] | T 3n LOUISIANA WATERTHRUSH | 43 | 13 | [] | R 6 BLUE-BLACK GROSBEAK | 48 | 10 |
| [] | R 3n KENTUCKY WARBLER | 42 | 15 | [] | R 5n INDIGO BUNTING | 48 | 12 |
| [] | R 2n MOURNING WARBLER | 42 | 14 | [] | C 6 RED-BREASTED BLACKBIRD | 44 | 13 |
| [] | R 6 OLIVE-CROWNED YELLOWTHROAT | 42 | 11 | [] | R 5 EASTERN MEADOWLARK | 50 | 16 |
| [] | R 4 GRAY-CROWNED YELLOWTHROAT | 42 | 13 | [] | R 5 MELODIOUS BLACKBIRD | 52 | 6 |
| [] | R 6n HOODED WARBLER | 42 | 5 | [] | C 1 GREAT-TAILED GRACKLE | 44 | 16 |
| [] | R 1n WILSON'S WARBLER | 42 | 4 | [] | R 2r BRONZED COWBIRD | 44 | 15 |
| [] | R 2t CANADA WARBLER | 42 | 8 | [] | R 4 GIANT COWBIRD | 44 | 10 |
| [] | R 1 SLATE-THROATED REDSTART | 42 | 7 | [] | R 1n BALTIMORE ORIOLE | 44 | 7 |
| [] | R 1 GOLDEN-CROWNED WARBLER | 40 | 18 | [] | R 5n ORCHARD ORIOLE | 44 | 6 |
| [] | R 2 RUFOUS-CAPPED WARBLER | 40 | 16 | [] | R 3 BLACK-COWLED ORIOLE | 44 | 5 |
| [] | T 3 BUFF-RUMPED WARBLER | 40 | 23 | [] | R 3h YELLOW-BILLED CACIQUE | 44 | 12 |
| [] | R 1 BANANAQUIT | 40 | 24 | [] | R 3 SCARLET-RUMPED CACIQUE | 44 | 11 |
| [] | T 3 COMMON BUSH-TANAGER | 45 | 13 | [] | R 2 CHESTNUT-HEADED OROPENDOLA | 44 | 9 |
| [] | R 4 ASHY-THROATED BUSH-TANAGER | 45 | 12 | [] | R 1 MONTEZUMA OROPENDOLA | 44 | 8 |
| [] | R 4 BLACK-AND-YELLOW TANAGER | 46 | 14 | [] | C 2 HOUSE SPARROW | 50 | 17 |
| [] | R 2 OLIVE TANAGER | 45 | 16 | SILENT MOUNTAIN HIKE ADD-ONS: 4000-5000 ft. | | | |
| [] | R 3 WHITE-SHOULDERED TANAGER | 46 | 18 | [] | S 3 COSTA RICAN PYGMY-OWL | 20 | 18 |
| [] | T 4 TAWNY-CRESTED TANAGER | 46 | 17 | [] | S 3 RESPLENDENT QUETZAL | 26 | 1 |
| [] | R 1 WHITE-LINED TANAGER | 46 | 16 | [] | S 4 HAIRY WOODPECKER | 28 | 19 |
| [] | R 2 RED-THROATED ANT-TANAGER | 47 | 12 | [] | S 2 RUDDY TREERUNNER | 29 | 4 |
| [] | T 4 HEPATIC TANAGER | 47 | 6 | [] | S 4 BUFFY TUFTEDCHEEK | 30 | 1 |
| [] | R 2t SCARLET TANAGER | 47 | 8 | [] | S 3 LINEATED FOLIAGE-GLEANER | 30 | 8 |
| [] | R 1n SUMMER TANAGER | 47 | 5 | [] | S 4 BLACK-BANDED WOODCREEPER | 29 | 15 |
| [] | R 6n WESTERN TANAGER | 47 | 2 | [] | S 4h RUFOUS-BREASTED ANTTHRUSH | 30 | 16 |
| [] | R 6 WHITE-WINGED TANAGER | 47 | 7 | [] | S 2 YELLOWISH FLYCATCHER | 36 | 19 |
| [] | R 2 CRIMSON-COLLARED TANAGER | 47 | 3 | [] | S 5 BLACK-AND-YELLOW SILKY-FLYCAT... | 39 | 10 |
| [] | R 1 PASSERINI'S TANAGER | 47 | 4 | [] | S 4 ZELEDONIA (WRENTHRUSH) | 32 | 13 |
| [] | R 1 BLUE-GRAY TANAGER | 46 | 15 | [] | S 3 SLATY FLOWER-PIERCER | 49 | 9 |
| [] | R 1 PALM TANAGER | 45 | 19 | [] | S 4 YELLOW-BELLIED SISKIN | 50 | 1 |
| [] | C 3 YELLOW-CROWNED EUPHONIA | 45 | 1 | SILENT MOUNTAIN CHANGE IN SPECIE STATUS | | | |
| [] | C 3 YELLOW-THROATED EUPHONIA | 45 | 5 | [] | S 2 BLACK GUAN | 12 | 5 |
| [] | R 6 ELEGANT EUPHONIA | 45 | 9 | [] | S 3 BLACK-BELLIED HUMMINGBIRD | 24 | 21 |
| [] | R 3 OLIVE-BACKED EUPHONIA | 45 | 3 | [] | S 2 WHITE-BELLIED MOUNTAIN-GEM | 24 | 5 |
| [] | R 4 WHITE-VENTED EUPHONIA | 45 | 7 | [] | S 3 PURPLE-THROATED MOUNTAIN-GEM | 24 | 7 |
| [] | R 2 TAWNY-CAPPED EUPHONIA | 45 | 6 | [] | S 4 RED-FRONTED PARROTLET | 19 | 15 |
| [] | R 4d GOLDEN-BROWED CHLOROPHONIA | 45 | 10 | [] | S 3h PRONG-BILLED BARBET | 28 | 1 |
| [] | R 4 EMERALD TANAGER | 46 | 5 | [] | S 2 BLUE-THROATED (EMERALD) TOUCANET | 27 | 17 |
| [] | R 2 SILVER-THROATED TANAGER | 46 | 6 | [] | S 2 ACORN WOODPECKER | 28 | 15 |
| [] | R 3 SPECKLED TANAGER | 46 | 8 | [] | S 4 SCALY-THROATED FOLIAGE-GLEANER | 30 | 2 |
| [] | R 2 BAY-HEADED TANAGER | 46 | 9 | [] | S 4 STRONG-BILLED WOODCREEPER | 29 | 18 |
| [] | R 1 GOLDEN-HOODED TANAGER | 46 | 13 | [] | S 3h SILVERY-FRONTED TAPACULO | 32 | 12 |
| [] | T 3 SPANGLE-CHEEKED TANAGER | 46 | 12 | [] | S 4 LOVELY COTINGA | 34 | 6 |
| [] | R 4 SCARLET-THIGHED DACNIS | 46 | 4 | [] | S 3 RUFOUS-RUMPED ANTWREN | 32 | 10 |
| [] | R 3 GREEN HONEYCREEPER | 46 | 7 | [] | S 2 DARK PEWEE | 36 | 2 |
| [] | R 6 SHINING HONEYCREEPER | 46 | 1 | [] | S 3 BARRED BECARD | 33 | 14 |
| [] | R 2r BLUE-BLACK GRASSQUIT | 49 | 7 | [] | S 3h SHARPBILL | 34 | 7 |
| [] | R 1 VARIABLE SEEDEATER | 49 | 3 | [] | S 2 MOUNTAIN THRUSH | 39 | 6 |
| [] | C 4 WHITE-COLLARED SEEDEATER | 49 | 2 | [] | S 2h BLACK-FACED SOLITAIRE | 39 | 13 |
| [] | C 6 YELLOW-BELLIED SEEDEATER | 49 | 4 | [] | S 3 OLIVE-CROWNED YELLOWTHROAT | 42 | 11 |
| [] | R 3 THICK-BILLED SEED-FINCH | 49 | 10 | [] | S 4 WHITE-WINGED TANAGER | 47 | 7 |
| [] | R 1 YELLOW-FACED GRASSQUIT | 49 | 6 | [] | S 3 ELEGANT EUPHONIA | 45 | 9 |
| [] | T 5 SOOTY-FACED FINCH | 48 | 21 | [] | S 2 SPANGLE-CHEEKED TANAGER | 46 | 12 |
| [] | T 4 WHITE-NAPED BRUSH-FINCH | 48 | 15 | [] | S 3 SOOTY-FACED FINCH | 48 | 21 |
| [] | R 3 CHESTNUT-CAPPED BRUSH-FINCH | 48 | 16 | [] | S 3 WHITE-NAPED BRUSH-FINCH | 48 | 15 |
| [] | R 2 ORANGE-BILLED SPARROW | 48 | 17 | [] | S 3 BLACK-THIGHED GROSBEAK | 48 | 7 |
| [] | R 1 BLACK-STRIPED SPARROW | 50 | 14 | TOTAL SPECIES : 434 (includes 13 Silent Mountain add-ons) | | | |
| [] | R 6* PREVOST'S GROUND-SPARROW | 48 | 18 | Last updated : June 2005 by Kevin Easley. We would like | | | |
| [] | R 2 RUFOUS-COLLARED SPARROW | 50 | 13 | to thank those who helped compile this list, especially | | | |
| [] | C 3 GRAYISH SALTATOR | 48 | 3 | Steven Easley, Frederic VanHove, Jay Vandergaast and | | | |
| [] | R 1 BUFF-THROATED SALTATOR | 48 | 2 | Matt Denton. We welcome new information on species | | | |
| [] | R 1 BLACK-HEADED SALTATOR | 48 | 1 | not included in this list or about species with abundance | | | |
| [] | C 4 BLACK-FACED GROSBEAK | 48 | 5 | codes 5 or 6. Please send details to Kevin Easley: | | | |
| [] | R 6r BLACK-THIGHED GROSBEAK | 48 | 7 | ticokid@racsa.co.cr | | | |
| [] | R 2n ROSE-BREASTED GROSBEAK | 48 | 8 | | | | |